

Thule Rapid System Kit 1584





> Instructions

HYUNDAI ix20, 5-dr Hatchback, 10-

HYUNDAI ix20, 5-dr Hatchback, 10- (with glass roof)

KIA Venga, 5-dr Hatchback, 10-

KIA Venga, 5-dr Hatchback, 10- (with glass roof)



ISO 11154-E

141584


C.20120627
519-1584-02

Bring your life


thule.com




168 x2



204 x1



206 x1




1062 x2



1063 x2





x1



x1

1

	X (scale)	X (mm)	X (inch)
HYUNDAI ix20 , 5-dr Hatchback, 10-	40,5	1056	41 ⁵ / ₈
HYUNDAI ix20 , 5-dr Hatchback, 10- (with glass roof)	40,5	1056	41 ⁵ / ₈
KIA Venga , 5-dr Hatchback, 10-	40,5	1056	41 ⁵ / ₈
KIA Venga , 5-dr Hatchback, 10- (with glass roof)	40,5	1056	41 ⁵ / ₈



	Y (scale)	Y (mm)	Y (inch)
HYUNDAI ix20 , 5-dr Hatchback, 10-	37,5	1026	40 ³ / ₈
HYUNDAI ix20 , 5-dr Hatchback, 10- (with glass roof)	37,5	1026	40 ³ / ₈
KIA Venga , 5-dr Hatchback, 10-	37	1021	40
KIA Venga , 5-dr Hatchback, 10- (with glass roof)	37,5	1026	40 ³ / ₈



2


HYUNDAI ix20, 5-dr Hatchback, 10-

HYUNDAI ix20, 5-dr Hatchback, 10- (with glass roof)

KIA Venga, 5-dr Hatchback, 10-

KIA Venga, 5-dr Hatchback, 10- (with glass roof)



3

	W (mm)	Z (mm)	W (inch)	Z (inch)
HYUNDAI ix20 , 5-dr Hatchback, 10-	270	700	10 ⁵/₈	27 ¹/₂
HYUNDAI ix20 , 5-dr Hatchback, 10- (with glass roof)	175	620	6 ⁷/₈	24 ³/₈
KIA Venga , 5-dr Hatchback, 10-	270	635	10 ⁵/₈	24 ⁷/₈
KIA Venga , 5-dr Hatchback, 10- (with glass roof)	175	620	6 ⁷/₈	24 ³/₈

